AKAA TENT Brochure



Al Khayam Al Arabiah Tents & Sheds www.akaatent.com



COPYRIGHT 2022

These pages contain information about material that is protected by copyright laws.

No part of this brochure may be copied, duplicated or communicated in any form or by means, electronic or mechanical, including photocopying, facsimile, or by any such like systems without permission of the publishers.

All rights reserved.


We reserve the right to make alterations without notifications.

We reserve the right to make alterations without notifications.

AL KHAYAM AL ARABIA TENTS AND SHED TRD LLC

AL KHAYAM AL ARABIAH

TENTS AND SHEDS TRD. LLC




ABOUT US

We are Sharjah based company dealing in manufacturing and supply of tents for sales and rentals. One of our major works is the manufacturing, fabrication and installation of all kinds of tents, Car parking sheds, canopies for doors and windows. Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah applies the latest technology and the best practices in developing environment-friendly products. We manufacture products with the essential support of the design and engineering department, which creates and develops exclusive modern designs for. Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah factory is fully well-equipped with German-made machineries and with the world's state-of-the-art technologies, giving us an edge to always manufacture and produce high-quality products for our valuable customers. Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah is the only manufacturing company in UAE Sharjah which provide after sale services and customer care center. We are specialized in Tents structure manufacturing, sale & Rental solution.

HISTORY

Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah was established in 1982 and Located in Sharjah industrial zone U.A.E it is the sister company of AL Khayam Tents Industry LLC and also a sister company of Empire Marquee Pvt Ltd located in Pakistan.

VISION MISSION



VISION

Our vision is to satisfy customers by building transparent business, trust, loyalty and using the best strategy as i.e. A Satisfaction of our customer is the best business strategy of all and Our success stories demonstrate the trust of clients have in our capabilities to reinvent business & Enhance costs a trust that is vindicate by result.

MISSION

Excellence in fulfilling the commitments made to clients Uncompromising commitment to the quality of work. Developing visibility to generate new business leads. Timeous response to client's orders. Successful Marketing.

WHY CHOOSE US?

A renowned leading U.A.E- based manufacturer of marquee tents systems and industrial steel buildings. A wide range of over 200 different temporary structure systems for multiple applications. State-of-the-art production facilities are able to produce up to 10000 m2 of the new structure per week. Components are finished by state-of-the-art machine and by hand ensuring a consistent high quality finish.

Dedicated, assisted by skilled professionals, the technical team of cad designs, and engineers for custom projects.

European Standards guarantee high-quality professional engineers and fully certified structures Competitive pricing policy across all product lines-ensuring customer satisfaction.



TENTS AND SHADES

AKAA Tents and Shades L.L.C utilize the finest tools and techniques for tent and Shades manufacturing.



FORWARD THINKING

AKAA is a great, forward-thinking Tents & Shades manufacturing company in UAE and its nice to serve its services to its clients.



PROBLEM SOLVERS

AKAA Tents and Shades LLC is available here for you any time and provide best tents and shades services.




CUSTOMER SUPPORT

We take care of our beloved Customer's needs by delivering professional and high quality services.

LICENSE AND CERTIFICATES

AL Khayam Al Arabiah Tents and Sheds Trd L.L.C Licence No: 749502 | Registration No: 175139 and Membership Registration Certificate Sharjah Chamber of commerce and Industry according to the law no (1) 2003











OUR TENT PRODUCTS

- 🗹 Pagoda Tent
- Pinnacle Tent
- Gazebo Tent
- Arcum Tent
- Polygon Tent
- A-Shape Tent
- Multi-side Tent
- Curve Tent

- High Peak Tent
- **Wedding Tent**
- ✓ Warehouse Tent
- ✓ Dome Tent
- Military Tent
- Cube Structure Tent
- ✓ Steel Structure Tent

PVC TARPAULIN FABRIC



PVC (POLYVINYL CHLORIDE) tarpaulin is made of vinyl-coated polyester. PVC membranes are polyester base fabrics and often have additional protective PVDF Fluoropolymer coatings on both sides which helps protect the surface and also creates an easy-to-clean membrane. PVC fabric is a very common tensile architecture with a lifespan of more than 20 years and PVC fabric typically offers the best value overall. PVC Tarpaulin fabrics are the best choice for both permanent and temporary structures. PVC Tarpaulin Fabric is a more heavy-duty trap and these tarpaulins are used for more reliable protection as it is needed. PVC Fabric tends to be Water Proof, Highly Abrasion resistant, and corrosion-resistant or contaminated by oil, acid, grease, and mildew. PVC Tarpaulin Fabric is a more heavy-duty trap and these tarpaulins

PVC TARPAULIN COATED FAMILY

PVC Tarpaulin Coated Family:

PVC Obemar 1100-GSM (No Lacquer, No FR.

PVC Obemar 900-GSM (No Lacquer, No FR)

PVC Tarpaulin Coated Blockout Family:

PVC Block-out 850-GSM with Lacquer, with FR (Top Coat Acrylic Lacquer)

PVC Block-out 750-GSM with Lacquer, with FR (Top Coat Acrylic Lacquer)

PVC Top Coat PVDF Lacquer:

Obtex 700-GSM with Lacquer, with FR.

Obetex 900gsm With Lacquer, With FR.


Obetex 500gsiii With Lacquei, With Th

Obetex 1100gsm With Lacquer, With FR.

Obetex 1400gsm With Lacquer, With FR.



PVC COATED TARPAULIN



PINNACLE TENT



Tent Details:

The Pinnacle tent is more easier to assemble and dismantle as well as easier to store. We tarp is waterproof fire of PVC material, rainy weather can be used even in the water will not flow into the inner tent. Independent house structure, shape looks nice, like a little house to move, galvanized iron pipe brackets to support, stable and durable. And unlimited space and can be installed in small private courtyard garden. Grass, cement and so can. Wind Load Capability is 80 Km/h (0.3kn/m2)

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

Tent Sizing

3M \times 3M, 4M \times 4M, 5M \times 5M, 6M \times 6M, 8M \times 8M, 10M \times 10M, Modify as per Request



PINNACLE













GAZEBO TENT



Tent Details:

The Gazebo Tent is more easier to assemble and dismantle as well as easier to store. We tarp is waterproof fire of PVC material, rainy weather can be used even in the water will not flow into the inner tent. Independent house structure, shape looks nice, like a little house to move, galvanized iron pipe brackets to support, stable and durable. And unlimited space and can be installed in small private courtyard garden. Grass, cement and so can. Wind Load Capability is 80 Km/h (0.3kn/m2)

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

Tent Sizing

 $3\mbox{M}$ X $3\mbox{M}$, $4\mbox{M}$ X $4\mbox{M}$, $5\mbox{M}$ X $5\mbox{M}$, $6\mbox{M}$ X $6\mbox{M}$, $8\mbox{M}$ X $8\mbox{M}$, $10\mbox{M}$ X $10\mbox{M}$, Modify as per Request



GAZEBO TENT













ARCUM TENT



Tent Details:

The Arcum Tent is composed of high reinforced aluminum frame and PVC covers. Arcum tent is based on the "A" frame clear span tent design and reasonably absorbs the Chinese traditional architectural design elements. We pre-press the aluminum roof-beams so that it can become the curve shape. The characteristics of the Arcum Tent will include a good-looking structure with a beautiful roof line and a lot of space inside the tent. It will also give you a feeling of currency to use it for big tents, exhibitions, or for a temporary showroom. Arcum tent is manufactured by white PVC coated material.

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

Tent Sizing

3M X 3M, 4M X 4M, 5M X 5M, 6M X 6M, 8M X 8M, 10M X 10M, Modify as per Request















POLYGON TENT



Tent Details:

The roof beams of the Polygon Top Tent are combined by several split aluminum alloy beams and in polygon shape, so it is named Polygon Top Tent. The standard side height of 10-40m span width tents is 4m, and 5m for 50m and 60m. The features of Polygon Top Tent: modular system, easily to be assembled and dismantled, durable, wind resistance can reach 100-120km/hour, flame retardant with relevant certificates. It is suitable for large-scale concerts, exhibitions, big parties, sport events and so on.

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

width

 $3 \mathrm{m} \ 4 \mathrm{m} \ 5 \mathrm{m} \ 5.5 \mathrm{m} \ 6 \mathrm{m} \ 7.5 \mathrm{m} \ 8 \mathrm{m} \ 9 \mathrm{m} \ 10 \mathrm{m} \ 15 \mathrm{m} \ 16 \mathrm{m} \ 18 \mathrm{m} \ 20 \mathrm{m} \ 21 \mathrm{m} \ 25 \mathrm{m} \ 30 \mathrm{m} \ 35 \mathrm{m} \ 40 \mathrm{m} \ 45 \mathrm{m} \ 50 \mathrm{m} \ 55 \mathrm{m} \ 60 \mathrm{m}$

Height

2.3m 2.4m 2.5m 2.6m 3.0m 3.3m 4.0m 5.0m 6.0m



POLYGON TENT













A-SHAPE TENT



Tent Details:

The A-shape tents are the ideal solution in different occasions like backyard gathering, Christmas celebration, wedding ceremony, birthday party, annual banquet and music festival. We have designed many custom tents for special festivals like beer festival, lights festival, music carnival and many more. The party marquees are available in different sizes and shapes. Its inside provide 100% interior space so that you can design and decorate it according to your need of occasion. The span can be optional from 3 – 60m in clear span design. And the length can be increased or decreased flexibly by 5m / 3m bay distance in each unit

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

width

 $3m\ 4m\ 5m\ 5.5m\ 6m\ 7.5m\ 8m\ 9m\ 10m\ 12m\ 15m\ 16m\ 18m\ 20m\ 21m\ 25m\ 30m\ 35m\ 40m\ 45m\ 50m\ 55m\ 60m$

Height

2.3m 2.4m 2.5m 2.6m 3.0m 3.3m 4.0m 5.0m 6.0m



A-SHAPE TENT













HIGH PEAK TENT



Tent Details:

High Peak tent seriesis always an eye-catching structure because of its bell-shaped roof line. Clear span width this tent series has a wide range from 6m to 40m. High Peak unit is able to join with regular A-shape unit, and multi-side unit to form a mixed tent. When it comes to be hotel, restaurant, or something needs to be outstanding, high peak tent would be an ideal choice

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

width

 $3 \mathrm{m} \ 4 \mathrm{m} \ 5 \mathrm{m} \ 5.5 \mathrm{m} \ 6 \mathrm{m} \ 7.5 \mathrm{m} \ 8 \mathrm{m} \ 9 \mathrm{m} \ 10 \mathrm{m} \ 15 \mathrm{m} \ 16 \mathrm{m} \ 18 \mathrm{m} \ 20 \mathrm{m} \ 21 \mathrm{m} \ 25 \mathrm{m} \ 30 \mathrm{m} \ 35 \mathrm{m} \ 40 \mathrm{m} \ 45 \mathrm{m} \ 50 \mathrm{m} \ 55 \mathrm{m} \ 60 \mathrm{m}$

Height

2.3m 2.4m 2.5m 2.6m 3.0m 3.3m 4.0m 5.0m 6.0m



HIGH PEAK TENT














MULTI-SIDE



Tent Details:

Multi-side tent round tent series has a unique diamond roof and high peak roof designs. Clear span width has a wide range from 6m - 35m, Full line accessories are compatible for this series. Multi-side units are able to be joint with the regular A shape units, high peak unit to form a mixed tent. Widely used as the hotel tent, restaurant, canteen, VIP lounge, wedding, party, event and so on.

Material and Fabrication

Aluminum Alloy Main Profile,

PVC Roof Cover, PVC Sidewalls & PVC Window sidewall

Lining & Curtains

Double Wing Glass Door / Sliding Door

Decoration ceilings and Inside curtain Weight Plates

Flat ABS Walls & Shaped ABS Walls

PVC: 0.46mm thickness PVC, 580 - 900 GSM Fire retardant to DIN 4102 B1, M2, Water proof,

UV protectio

width

 $3 \mathrm{m} \ 4 \mathrm{m} \ 5 \mathrm{m} \ 5.5 \mathrm{m} \ 6 \mathrm{m} \ 7.5 \mathrm{m} \ 8 \mathrm{m} \ 9 \mathrm{m} \ 10 \mathrm{m} \ 15 \mathrm{m} \ 16 \mathrm{m} \ 18 \mathrm{m} \ 20 \mathrm{m} \ 21 \mathrm{m} \ 25 \mathrm{m} \ 30 \mathrm{m} \ 35 \mathrm{m} \ 40 \mathrm{m} \ 45 \mathrm{m} \ 50 \mathrm{m} \ 55 \mathrm{m} \ 60 \mathrm{m}$

Height

2.3m 2.4m 2.5m 2.6m 3.0m 3.3m 4.0m 5.0m 6.0m



MULTI-SIDE TENT













CURVE TENT



Tent Details:

Curve Tent is not only strong, but also durable, the wind retardancy can reach $100 \text{km/h} (0.5 \text{kn/m}^2)$. Curve Tent can be flexibly removed and expanded with its modular structure, it is easily assembled and dismantled, storage volume is small. It can be applied in many temporary events as well as the Big Tent series, also it's a good choice as permanent building. Due to the bended aluminum roof beams and perfect roof cover tensioning system, the wind resistance and snow loading capability are stronger

Material and Fabrication

Aluminum Alloy Main Profile,

PVC Roof Cover , PVC Sidewalls & PVC Window sidewall

Lining & Curtains

Double Wing Glass Door / Sliding Door

Decoration ceilings and Inside curtain Weight Plates

Flat ABS Walls & Shaped ABS Walls

PVC: $0.46 \mathrm{mm}$ thickness PVC, 580 – 900 GSM Fire retardant to DIN 4102 B1, M2, Water proof, UV protectio

width

 $3 \mathrm{m} \ 4 \mathrm{m} \ 5 \mathrm{m} \ 5.5 \mathrm{m} \ 6 \mathrm{m} \ 7.5 \mathrm{m} \ 8 \mathrm{m} \ 9 \mathrm{m} \ 10 \mathrm{m} \ 15 \mathrm{m} \ 16 \mathrm{m} \ 18 \mathrm{m} \ 20 \mathrm{m} \ 21 \mathrm{m} \ 25 \mathrm{m} \ 30 \mathrm{m} \ 35 \mathrm{m} \ 40 \mathrm{m} \ 45 \mathrm{m} \ 50 \mathrm{m} \ 55 \mathrm{m} \ 60 \mathrm{m}$

Height

2.3m 2.4m 2.5m 2.6m 3.0m 3.3m 4.0m 5.0m 6.0m



CURVE













WEDDING TENT



Tent Details:

Wedding marquee tent is very flexible, it's possible for all kinds of shape: long, square, Marcum, half sphere etc. And it could be romantic, classic or themed. We have full set tent accessories and ancillary equipment to tailor a tent interior to suit your wedding, and you can also decorate the tent in the way you want. As a manufacturer, we've been committed to providing quality tents at best prices. We provide a comprehensive manufacturing and selling service for all wedding marquee tents.

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Double Wing Glass Door, Rain Gutters, Decoration ceilings and Inside curtain.

width

 $3 \mathrm{m} \ 4 \mathrm{m} \ 5 \mathrm{m} \ 5.5 \mathrm{m} \ 6 \mathrm{m} \ 7.5 \mathrm{m} \ 8 \mathrm{m} \ 9 \mathrm{m} \ 10 \mathrm{m} \ 15 \mathrm{m} \ 16 \mathrm{m} \ 18 \mathrm{m} \ 20 \mathrm{m} \ 21 \mathrm{m} \ 25 \mathrm{m} \ 30 \mathrm{m} \ 35 \mathrm{m} \ 40 \mathrm{m} \ 45 \mathrm{m} \ 50 \mathrm{m} \ 55 \mathrm{m} \ 60 \mathrm{m}$

Height

2.3m 2.4m 2.5m 2.6m 3.0m 3.3m 4.0m 5.0m 6.0m















WAREHOUSE TENT



Tent Details:

Our warehouse tents for the convenience of construction enterprises short season, the venue provides a flexible distribution of flexible space, avoiding the need to increase the production of space rental, remote working and other hidden costs. Warehouse Tent construction does not require a permanent foundation which can be built in almost any ground ---- asphalt, concrete or grass, and so on. Tents in flexibility and economy is far superior to conventional steel structures, construction of buildings and do not have the required land permits trouble.Because of the basic conditions require less, cost is also low, so its maintenance is simple and inexpensive.

Material and Fabrication

Aluminum Alloy Main Profile,
PVC Roof Cover & Inflatable Thermal Insulataion Roof
PVC Gable & Inflatable Thermal Gable
PVC Sidewalls, Sandwich Panel & Steel Sheet wall
Sliding Window
Man Door
Manual / Auto Rolling Door
Weight Plates
PVC: 0.46mm thickness PVC, 580 - 900 GSM Fire

retardant to DIN 4102 B1, M2, Water proof, UV protection



WAREHOUSE TENT















LABOUR TENT













MILITARY TENT



Tent Details:

The military tent are not only used by the military but can also serve as a disaster relief station. The clear span design provide 100% interior space usable. It can be assembled and dismantled easily, has small transportation size, can resists wind load. PVC are made by durable and flame retardant material. The mesh window is also a good idea to provide comfort even on perilous place.

Material and Fabrication

Aluminum Alloy Main Profile, PVC Roof Cover, Ground Anchors, Sidewalls with PVC Fabric, Lining Curtains, Roll up Door and Window, PVC Window and Mesh Window, and Floor system.

Specifications of Roof & Side wall:

PVC: 0.46mm thickness PVC, 580 – 900 GSM, Fire retardant to DIN 4102 B1, M2, Water proof, UV protection



MILITARY TENT













DOME TENT



Tent Details:

The dome tent is advanced, safe, and reliable, which can resist 80 km/hr wind speed. It is an ideal solution of walkway passage. The performance of the unique and innovative dome tent is quite outstanding, the features are as following: Can absorb sunlight effectively and slow down the heat loss. Can resist harsh climatic conditions. This kind of small aluminum dome tent is easy to set up and dismantle. Very popular used for outdoor product show, private gatherings and parties

Material and Fabrication

Aluminum Alloy Main Profile,

PVC Roof Cover & Clear PVC roof cover

PVC Gable & Clear PVC Gable

PVC Sidewalls, Clear PVC Sidewall

PVC Window Sidewall

Flat ABS walls

Double Wing Glass Door, Sliding door

Floor System

Decoration Ceilings, Lining and Curtains

Weight Plates

PVC: 0.46mm thickness PVC, 580 - 900 GSM Fire retardant to DIN 4102 BI, M2, Water proof, UV protection



DOME TENT














STEEL STRUCTURE



Tent Details:

Steel Structure Tent is Widely used for private & corporate party, celebration, outdoor exhibition & Expo , trade show, commercial activity, sports events, temporary warehouse & workshop, military, relief & emergency solution, semi-permanent or permanent industry facility, entertainment space, etc. We tarp is waterproof fire of PVC material, rainy weather can be used even in the water will not flow into the inner tent. Independent house structure, shape looks nice, like a little house to move, galvanized iron pipe brackets to support, stable and durable. And unlimited space and can be installed in small private courtyard garden. Grass, cement and so can.

Material and Fabrication

Frame struss: hard pressed extruded steel. Fabric cover: high quality double PVC-coated polyester textile, 100% waterproof, flame retardant to DIN 4102 BI, M2, CFM, UV resistant, tear resistant, self-cleaning ability, etc.

Connector: strong hot-dip galvanized steel. Allowed temperature condition: -30 degree Celsius~+70 degree Celsius Wind load: max. 100 km/h (can be reinforced) Snow load: 75 kg/sqm (snow can't stay if use big degree roof pitch design) Easy to be assembled and dismantled, movable. No pole inside, 100% available interior space.



STEEL STRUCTURE















STEEL STRUCTURE













Thank You

Because, we're here to help

AL KHAYAM AL ARABIAH TENTS



Address

Office no. 701, Liberty Building, Opposite SATA Office



Telephone

+971 6 5540401



Website

www.akaatent.com