

## UMBRELLA BROCHURE

Al Khayam Al Arabiah Tents & Sheds www.akaatent.com



## **COPYRIGHT 2022**

These pages contain information about material that is protected by copyright laws.

No part of this brochure may be copied, duplicated or communicated in any form or by means, electronic or mechanical, including photocopying, facsimile, or by any such like systems without permission of the publishers.


#### All rights reserved.

We reserve the right to make alterations without notifications.

We reserve the right to make alterations without notifications.

#### AL KHAYAM AL ARABIA TENTS AND SHED TRD LLC

### **AL KHAYAM AL ARABIAH** *TENTS AND SHEDS TRD. LLC*



#### **ABOUT US**

We are Sharjah based company dealing in manufacturing and supply of tents for sales and rentals. One of our major works is the manufacturing, fabrication and installation of all kinds of tents, Car parking sheds, canopies for doors and windows. Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah applies the latest technology and the best practices in developing environment-friendly products. We manufacture products with the essential support of the design and engineering department, which creates and develops exclusive modern designs for. Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah factory is fully well-equipped with German-made machineries and with the world's state-of-the-art technologies, giving us an edge to always manufacture and produce high-quality products for our valuable customers. Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah is the only manufacturing company in UAE Sharjah which provide after sale services and customer care center. We are specialized in Tents structure manufacturing, sale & Rental solution.

#### HISTORY

Al Khayam Al Arabia Tents and Parking Shades Trading LLC Sharjah was established in 1982 and Located in Sharjah industrial zone U.A.E it is the sister company of AL Khayam Tents Industry LLC and also a sister company of Empire Marquee Pvt Ltd located in Pakistan.

## **Our Clients**



Our passion, creativity, meticulous attention to detail, and total commitment to customer satisfaction has earned us the business of a number of the world's leading brands. The following list is our portfolio featuring only a few of our clients










#### **Technical Data - Levante**


Material frame: The pole, ribs, hub, runner and finial are all made using laminated bamboo. All metal fittings are 304 stainless steel. Opening: A double pulley and rope system is used for easy, light opening.



Shape	Code	Size	Total height	Open height	Closed height	Pole size	No of Ribs	Size of ribs
*	2.5m R-L	2.5m 8.5'	2.65m 8'8"	2.1m 6'10"	1.24m 4'	38mm 1.5″	8	28 x 20mm 1 1/8" x 3/4"
	3.0m R-L	3.0m 10'	2.7m 8'10"	2.1m 6'10"	1.05m 3'5"	48mm 2"	8	28 x 20mm 1 1/8" x 3/4"
	3.5m R-L	3.5m 11.5'	2.8m 9'2"	2.1m 6'10"	0.89m 2'11″	48mm 2″	8	35 x 20mm 1 3/8" x 3/4"
	4.0m R-L	4.0m 13'	2.8m 9'2"	2.1m 6'10″	0.83m 2'8″	58mm 2.25″	8	35 x 20mm 1 3/8" x 3/4"
	2.1m SQ-L	2.1 x 2.1m 7' x 7'	2.75m 9'0"	2.13m 6'11″	1.10m 3'7″	38mm 1.5″	4	28 x 20mm 1 1/8" x 3/4"
	2.6m SQ-L	2.6 x 2.6m 9' x 9'	2.9m 9'6"	2.1m 6'10″	0.86m 2'10"	48mm 2"	8	28 x 20mm 1 1/8" x 3/4"
	3.0m SQ-L	3.0 x 3.0m 10' x 10'	3.05m 10'	2.26m 7'5"	0.80m 2'7"	48mm 2"	8	35 x 20mm 1 3/8" x 3/4"
	3.4m SQ-L	3.4 x 3.4m 12' x 12'	3.37m 11'	2.42m 7'11"	0.80m 2'7"	58mm 2.25″	8	35 x 20mm 1 3/8" x 3/4"
$\mathbb{X}$	2.0 x 3.0m REC-L	2.0 x 3.0m 7' x 10'	2.88m 9'5"	2.1m 6'10"	0.92m 3'0"	48mm 2"	6	28 x 20mm 1 1/8" x 3/4"
	2.5 x 3.5m REC-L	2.5 x 3.5m 8'5" x 12'	3.0m 9'10"	2.13m 6'11″	0.76m 2'6″	58mm 2.25″	8	35 x 20mm 1 3/8" x 3/4"

The Levante is our premium and most popular parasol, designed for the commercial and high-end domestic markets. It is made using a single piece pole for extra strength and durability, and has simple, clean classic lines, with the contemporary feel of stainless steel and natural bamboo. Our double pulley and rope system ensures easy raising and lowering of the parasols, even on the largest of models.

The Levante range incorporates a turned bamboo hub and runner with stainless steel brackets, a bamboo finial, and an elegant, practical cleat locking system. The covers are attached using our own bolt-down stainless steel rib end protector system or alternatively sewn pockets. The ribs and supporting arms are fitted with stainless steel through bolts, making all the parts easily interchangeable.





#### **Technical Data- Levante Side Wind**

Material frame: The pole, ribs, hub, runner and finial are all made using laminated bamboo. All metal fittings are 304 stainless steel. Base frame and post connectors e-coated then powder coated steel.

Opening: A winch system is used using 304 stainless steel wire.



1 = total height 2 = open height 3 = closed height

Shape	Code	Size	Total height	Open height	Closed height	No of Ribs	Size of ribs	Bases
$\circledast$	3.5m R-SW	3.5m 12'	2.65m 8'8"	2.1m 6'10"	1.24m 4'	8	28 x 20mm 1 1/8" x 3/4"	2 x 70kg 2 x 154lb
$\mathbb{X}$	3.0m SQ-SW	3.0m 10'	2.75m 9'0"	2.13m 6'11″	1.10m 3'7"	8	28 x 20mm 1 1/8" x 3/4"	2 x 70kg 2 x 154lb
	3.4m SQ-SW	3.4m 11.5′	3.36m 11'	2.1m 6'10"	0.43m 1′5″	8	35 x 20mm 1 3/8" x 3/4"	4 x 50kg 4 x 110lb
	25 25	2.5 2.0	2.00	2.1	0.02		28 20	2 70k-
$\mathbb{X}$	2.5 x 3.5m REC-SW	2.5 x 3.0m 8.5' x 12'	2.88m 9'5″	2.1m 6'10"	0.92m 3'0"	8	28 x 20mm 1 1/8" x 3/4"	2 x 70kg 2 x 154lb
	3.0 x 4.0m REC-SW	3.0 x 4.0m 10' x 13'	3.0m 9'10"	2.13m 6'11"	0.76m 2'6″	8	35 x 20mm 1 3/8" x 3/4"	4 x 50kg 4 x 110lb


The Levante Side Wind range is our range of large side pole parasols, manufactured and designed to exacting standards with durability, strength, and style in mind - the three key points of all Akaa tent products. The Side Wind features a 3600 rotating base and 450 tilt so you can still find shade as the sun goes down.

The base weights are made using bamboo which sit in a powder coated steel base frame. The frame has adjustable feet for uneven surfaces whilst protecting the floor at the same time. We use a specialized type of polymer for the bearings meaning that they never seize up or rust.

This parasol was designed for both commercial and domestic use, bringing a magnificent focal point for any situation. We can also supply this parasol with a ground base.

#### SIROCCO SIDE WIND






#### Technical Data - Sirocco Side Wind

Material: The pole and ribs are all made using laminated bamboo. The hub, runner and finial are all made from marine grade nylon PA66. All metal fittings are 304 stainless steel

Opening: A double pulley and rope system is used for easy, light opening.



Shape	Code	Size	Total height	Open height	Closed height	Pole size	No of Ribs	Size of ribs
*	2.0m R-S	2.0m 7'	2.35m 7'8″	1.9m 6'3"	1.2m 3'11"	38 or 48mm 1.5″ or 2″	6	25 x 20mm 1" x 3/4"
	2.5m R-S	2.5m 8.5'	2.4m 7'10"	1.9m 6'3"	1.2m 3'9"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	2.7m R-S	2.7m 9'	2.43m 7'11″	1.9m 6'3"	1.0m 3'3"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	3.0m R-S	3.0m 10'	2.54m 8'4"	1.9m 6'3"	1.0m 3'3"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
$\mathbb{X}$	2.0m SQ-S	2.0 x 2.0m 7' x 7'	2.53m 8'4"	2.0m 6'6"	1.0m 3'3"	38 or 48mm 1.5" or 2"	4	25 x 20mm 1" x 3/4"

The Sirocco is designed for the commercial and domestic markets with the Akaa tent three key points of design - durability, strength, and style. The main feature of the Sirocco is the use of nylon for the hub and runner, which have built-in rollers for the rope pulley system and a patented locking cleat. This clamps the rope so there is no need for the use of a pin to hold the canopy up.

The smaller sizes of the Sirocco can have a two piece pole using a 304 stainless steel connector allowing for easy storage and transportation.

The Sirocco, like all of our other ranges, has easily changeable parts.








#### Technical Data - LEVANTE TELESCOPIC

Material: The pole and ribs are all made using laminated bamboo. The hub, runner and finial are all made from marine grade nylon PA66. All metal fittings are 304 stainless steel

Opening: A double pulley and rope system is used for easy, light opening.




Shape	Code	Size	Total height	Open height	Closed height	Pole size	No of Ribs	Size of ribs
*	2.0m R-S	2.0m 7'	2.35m 7'8"	1.9m 6'3"	1.2m 3'11″	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	2.5m R-S	2.5m 8.5′	2.4m 7'10″	1.9m 6'3"	1.2m 3'9"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	2.7m R-S	2.7m 9'	2.43m 7'11″	1.9m 6'3"	1.0m 3'3"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	3.0m R-S	3.0m 10'	2.54m 8'4"	1.9m 6'3"	1.0m 3'3"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
Ж	2.0m SQ-S	2.0 x 2.0m 7' x 7'	2.53m 8'4″	2.0m 6'6"	1.0m 3'3″	38 or 48mm 1.5" or 2"	4	25 x 20mm 1" x 3/4"

The four-metre telescopic is our largest parasol and is designed to close over the height of a table. It is a stunning parasol and perfect for commercial use, when needing to shade a few tables. We make this parasol using either the Levante hub and runner or the nylon Sirocco hub and runner.








#### www.akaatent.com

#### Technical Data - Sirocco

Material: The pole and ribs are all made using laminated bamboo. The hub, runner and finial are all made from marine grade nylon PA66. All metal fittings are 304 stainless steel

Opening: A double pulley and rope system is used for easy, light opening.



Shape	Code	Size	Total height	Open height	Closed height	Pole size	No of Ribs	Size of ribs
*	2.0m R-S	2.0m 7'	2.35m 7'8"	1.9m 6'3″	1.2m 3'11"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	2.5m R-S	2.5m 8.5′	2.4m 7'10"	1.9m 6'3"	1.2m 3'9"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	2.7m R-S	2.7m 9'	2.43m 7'11″	1.9m 6'3″	1.0m 3'3"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
	3.0m R-S	3.0m 10'	2.54m 8'4"	1.9m 6'3″	1.0m 3'3"	38 or 48mm 1.5" or 2"	6	25 x 20mm 1" x 3/4"
$\mathbb{X}$	2.0m SQ-S	2.0 x 2.0m 7' x 7'	2.53m 8'4"	2.0m 6'6"	1.0m 3'3"	38 or 48mm 1.5" or 2"	4	25 x 20mm 1" x 3/4"

The Sirocco is designed for the commercial and domestic markets with the Akaa tent three key points of design - durability, strength, and style. The main feature of the Sirocco is the use of nylon for the hub and runner, which have built-in rollers for the rope pulley system and a patented locking cleat. This clamps the rope so there is no need for the use of a pin to hold the canopy up.

The smaller sizes of the Sirocco can have a two piece pole using a 304 stainless steel connector allowing for easy storage and transportation.

The Sirocco, like all of our other ranges, has easily changeable parts.



#### HURRICANE EXTREME





www.akaatent.com

#### HURRICANE EXTREME









#### Bambrella - the strongest commercial parasols across the globe



Superyachts






**GOLF CLUBS** 



**CRUISE SHIPS** 


#### Bambrella - the strongest commercial parasols across the globe



CAFES

PARKS

#### Bambrella - the strongest commercial parasols across the globe



**BEACH RESORTS** 

**OUTDOOR DINING** 



WATER PARKS



**ROOF TOPS** 

# Thank You

Because, we're here to help

## Al Khayam Al Arabiah Tents & Sheds



Office no. 701, Liberty Building, Opposite SATA Office

#### **Telephone** +971 6 5540401

Website